

Fig. 1

2/8

## ENVIRONMENT RATING PROCESSING FLOWCHART





Fig. 2



## **ENVIRONMENT RATING PROCESSING FLOWCHART**




Fig. 3

	CONTENT	APPLICABLE
1	AN ENVIRONMENTAL ETHOS AND ENVIRONMENTAL POLICIES HAVE BEEN LAID DOWN	0
2	ISO14001 CERTIFICATION HAS BEEN OBTAINED OR SELF- DECLARED	
3	YOU ARE REGISTERED WITH AND PARTICIPATE IN THE ENVIRONMENTAL ACTIVITY EVALUATION PROGRAM (EA21) OR A SIMILAR ENTERPRISE	0
4	AN ENVIRONMENT REPORT OR ENVIRONMENTAL ACTION PLAN HAS BEEN CREATED AND EVALUATED BY A THIRD PARTY INSTITUTION	

	ORDINANCE	APPLICABLE		
1	LAW CONCERNING THE IMPROVEMENT OF POLLUTION PREVENTION SYSTEMS IN SPECIFIC FACTORIES	0 .		
2	ENVIRONMENTAL IMPACT ASSESSMENT LAW			
3	FUNDAMENTAL LAW FOR ESTABLISHING A SOUND MATERIAL-CYCLE SOCIETY			
4	LAW FOR PROMOTION OF EFFECTIVE UTILIZATION OF RESOURCES	·		
5	RECYCLING LAW			
6	HOME APPLIANCE RECYCLING LAW			
7	CONTAINERS AND PACKAGING RECYCLING LAW			
8	FOOD RECYCLING LAW			
9	CONSTRUCTION MATERIAL RECYCLING LAW			
10	"GREEN PURCHASING" LAW			
11	WASTE DISPOSAL LAW	0		
12	LAW FOR THE CONTROL OF SPECIFIC HAZARDOUS WASTES			
13	PCB PROCESSING LAW			
14	WATER POLLUTION LAW			
15	SEWERAGE LAW	0		
16	PURIFICATION TANK LAW			
17	CLEAN LAKE LAW			
18	LAW RELATING TO THE PREVENTION OF MARINE POLLUTION AND MARITIME DISASTER			
19	SETO INLAND SEA LAW			
20	RIVER LAW			
	·			

Fig. 5

6/8 10/553275

				1		
			1999	2000	2001	UNIT
AMOUNT OF DISPOSED WASTE		RECYCLING OF GENERAL WASTE OTHER THAN				Г
ETC.	<b></b>	PAPER				
		KITCHEN WASTE		<del></del> -		kg
INPUT RECYCLED	<b>&gt;</b>	BURNABLE WASTE				kg
AMOUNT		UNBURNABLE WASTE				kg
		OTHER WASTE				kg
		DISPOSAL OF GENER	RAL WAST	CE OTHER	R THAN	PAPER
INPUT AMOUNT OF		KITCHEN WASTE	150	150	150	kg
DISPOSED WASTE		BURNABLE WASTE	1,440	2,040	2,400	kg
		UNBURNABLE WASTE	10,000	15,000	18,000	kg
		OTHER WASTE	1,300	2,000	2,500	kg
		RECYCLING OF INDUSTRIAL WASTE ETC.				
		SCRAP METAL	475	502	511	kg
ENTER INDIVIDUAL NAME OF INDUSTRIAL WASTE AND INPUT RECYCLED AMOUNT		WASTE PLASTIC	54	68	123	kg
	J	WASTE OIL	30	35	60	kg
						kg
				L		kg
		DISPOSAL OF INDUSTRIAL WASTE ETC.				
		SCRAP METAL	. 0	0	0	kg
ENTER INDIVIDUAL	]	WASTE PLASTIC	80	58	0	kg
NAME OF INDUSTRIAL WASTE AND INPUT	-	WASTE OIL	32	35	0	kg
DISPOSED AMOUNT						kg
	•					kg
INPUT RECYCLED  AMOUNT  INPUT DISPOSED  AMOUNT		HAZARDOUS WASTES ETC. (RECYCLED)				kg
		HAZARDOUS WASTES ETC. (DISPOSED OF)				kg
				l	l	

Fig. 6



#### USE OF ENERGY-SAVING FACILITIES AND EQUIPMENT

	EVALUATION CONTENT
В	HERMAL INSULATION PROPERTY OF BUILDING HAS EEN IMPROVED BY INSTALLING DOUBLE-GLAZED INDOWS, INSULATING GLASS, ETC.
A	OLAR ENERGY IS USED IN A NATURAL MANNER BY LLOWING SUNLIGHT INTO ROOMS, ACCUMULATING HEAT N FLOORS AND WALLS, ALLOWING WIND VENTILATION, TC.
S. F ( E	IGHTING EQUIPMENT HAS BEEN CHANGED TO ENERGY-AVING TYPES SUCH AS HIGH EFFICIENCY LUORESCENT LIGHTS, INVERTER LIGHTING FLUORESCENT LIGHTS WHICH ACHIEVE HIGH FFICIENCY THROUGH THE USE OF A HIGH-FREQUENCY URRENT), ETC.
1	NERGY-SAVING AIR-CONDITIONING EQUIPMENT HAS EEN INTRODUCED ACTIVELY
C	HE ENERGY EFFICIENCY OF OA MACHINERY SUCH AS OPIERS, PCs, AND PRINTERS HAS BEEN CHECKED, ND MACHINERY WITH HIGH ENERGY EFFICIENCY HAS EEN INTRODUCED ACTIVELY
	NERGY SAVING IS PROGRESSING IN THE HOT WATER UPPLY SYSTEM THROUGH INSULATION ETC.
0	N ENERGY-SAVING ELEVATOR SYSTEM (ADVANCED PERATING CONTROL, PARTIAL STOPPAGE AT NIGHT, TC.) HAS BEEN INTRODUCED
1 1	COGENERATION SYSTEM (UTILIZATION OF WASTE EAT DURING POWER GENERATION) IS IN USE
Н	EAT PUMPS HAVE BEEN INTRODUCED
	DISTRICT COOLING AND HEATING SYSTEM OR A DHC
A	N ICE STORAGE SYSTEM HAS BEEN INTRODUCED
A	N IMPROVEMENT IN ENERGY EFFICIENCY HAS BEEN CHIEVED BY INSTALLING AND USING A COMPANY OWER PLANT ETC.




Fig. 8